

SAFETY DATA SHEET

1 of 7 FZ-TFTC

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision: 5.2 | SDS Revision Date: 4/7/2021

1. PRODUCT INDENTIFICATION					
1.1	Product Name: Fuzion Tack Free Top Coat				
1.2	Chemical Name: POLYURETHANE (METH)ACRYLATE PREPOLYMER RESIN BLEND				
1.3	Synonyms: NA				
1.4	Trade Names: NA				
1.5	Product Use: EXTERNAL USE ONLY, KEEP OUT OF THE REACH OF CHILDREN				
1.6	Manufacturer's Name: Fuzion Gel Ltd				
1.7	Manufacturer's Address: 100-18211 105th Ave. Edmonton, AB				
1.8	Emergency Phone: 1 844 748 9324				
1.9	Business Phone/Fax: 1 844 748 9324				

2. HAZARD INDENTIFICATION

2.1 Hazard Identification:

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) abd ADG Code (Australia).

WARNING! MAY CAUSE AN ALLERGIC SKIN REACTION. AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. CAUSES EYE IRRITATION

Precautionary statements (P): P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves. P302+352 - IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. p33 +p313 - IF SKIN IRRITATION OR A RASH OCCURS - GET MEDICAL ADVICE/ATTENTION. p377+p313 - If eye irritation persists, P321 - For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).

2.2 Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES

2.3 Effects of Exposure:

INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervouse system depression.

EYES & SKIN: The liquid may produce eye discomfort and is capable of causing temporary impairment of vision and/or transient eye inflamation,

ulceration. The vapor is discomforting to the eye. Splashes may cause severe eye irritation, possible corneal burns and eye damage. Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to the skin, especially after prolonged contact. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon

prolonged or repeated expsoure.

INHALATION: Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of

overexposure can include coughing, wheezing, nasal congestion and difficulty breathing. Inhalation of concentrated vaors can cause central nervous system depression (e.g., drowsiness, headaches, nausea). Odor may give some warning of exposure but odor fatigue

may occur.

2.4 | Symptoms of Overexposure:

Symptoms of skin overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness, itching and watering. The product can cause allergic skin reactions (e.g., rashes, welts, deratitis) upon prolonged or repeated exposure.

2.5 Acute Health Effects:

Moderate irritation to eyes near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

2.6 Chronic Health Effects:

The material may cause an allergic reaction for some sensitive individuals.

2.7 Target Organs:

Eyes, skin

		3. COMP	OSITION 8	& INGRE	DIENT	INFO	RMA	OITA	J				2 of 7
					EXPC	SURE L	IMITS	IN AIR	(mg/m	3)			
					AC	GIH	NOHSC		OSHA				
					р	pm		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
POLYURETHANE	NA	NA	NA	40-70	NA	NA	NA	NF	NF	NA	NA	NE	OTHER
ACELATE		1,000	1.07	-1-						1	1		
PREPOLYMER RESIN													
POLYURETHANE	NA	NA	NA	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
METHACRYLATE PREPOLYMER RESIN													
TRIPROPOYLENEGLY- COL DIACRLY ATE	42978-66-5	NA	256-932-2	7-13	NA	NA	NF	NF	NF	NA	NA	NA	
BENZOPHENONE	119-61-9	NA	204-337-6	5-10	NA	NA	NF	NF	NF	NA	NA	NA	
C177891	13463-67-7	XR2275000	236-675-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
C1754760	1328-60-5	NA	215-527-3	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
	*												
			4. FIRS	T AID N	1EAS	JRES							
4.1 First Aid: INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.							ontact the						
SKIN & EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open to ensure thorough irrigation. Seek immediate medical attention. If problem persists, seek immediate m If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water followed by a thoroug affected area with plenty of soak and waster. Remove all contaminated clothing including footwear and before reuse. If irritation, redness or swelling persists, consult a physician immediately. INHALATION: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate me							ate mee prough v	dical attentior washing of the ash thoroughl					
4.2 Medical Condition			oncer II bica	timing stops	, perior	iii ai tili	iciai ie	HEAL	- 15	CK IIIII	neuidl	meul	1
Pre-existing der			nd disorders	of the targe	et organ	s (eyes	, skin)		(Article Co.)	LTY .			0
				-				PHYS	ICAL H	AZARI	os		0
										EQUI	PMEN	Т	В
								EYES	SKIN				

5. FIREFIGHTING MEASURES 3 of 7 5.1 Flashpoint & Method: > 100 °((> 212 °F) 5.2 Autoignition Temperature: 5.3 Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA 5.4 Fire & Explosion Hazards: This product is an extremely flammable liquid. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g., CO, CO2 and Nox) 5.5 Extinguishing Methods: Water, Foam, CO2, Dry Chemical 5.6 Fire Fighting Procedures: First responders should wear eye protection. Structural fire fighters must wear full protective equipment and MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains, bodies of water or other enviormentally sensitive reas. If necessary, rinse contaminated equipment with soapy water before returnign to service.

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Expose spilled material to UV light source for 2-5 minutes. Lift cured material from substrate and repeat until very little residue remains. Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the vapors generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Do not store where temperatures can exceed 50 '((122 °F).

	8. E)	(POSURE CONTROLS & PERSONAL PROTECTION	4 of 7
8.1	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate	
		decontaimination equipment is available (e.g., sink, safety shower, eye wash station).	
8.2	Respiratory Protection:	No special respiratory protections is required under typical circumstances of use or	
		handling. In instances where vapors or sprays of this product are generated, and	
		respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134,	
		application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable	
		standards of Canadian Provinces, EC Member States or Australia.	
8.3	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side shields) at all times when	
		handling this product. Always use protective eyewear when cleaning spills or leaks.	
		Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.	
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in	
		some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785	
		liters]), wear nitrile or imprevious gloves.	
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities	
		(e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon	
		completion of work activities involving large quantities of this product, wash any	
		exposed areas thoroughly with soap and water.	

	9. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:	1.1				
9.2	Boiling Point:	NA				
9.3	Melting Point:	ND				
9.4	Evaporation Rate:	NA				
9.5	Vapor Pressure:	ND				
9.6	Molecular Weight:	NE				
9.7	Appearance & Color:	Clear or pigmented liquid				
9.8	Odor Threashold:	NE				
9.9	Solubility:	Not soluble				
9.1	pH:	NA				
9.11	Viscosity:	30,000				
9.12	Other Information:	NA				

10. STABILITY & REACTIVITY

10.1 Stability:

Relatively stable under ambient conditions when stored properly.

10.2 Hazardous Decomposition Products:

If exposed to extremely high temperatures, products of thermal decomposition may include irritating vapors and toxic gases (e.g., oxides of carbon and nitrogen).

10.3 Hazardous Polymerization:

Will not occur.

10.4 Conditions to Avoid:

Exposure or contact to extreme temperatures, incompatable chemicals, strong light sources, sparks and flame.

10.5 Incompatable Substances:

Strong oxidizers, peroxides, strong acids or alkalis.

	11. TOXICOLOGICAL INFORMATION 5 of 7
11.1	Toxicity Data:
	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the produit which
_	are found in scientific literature. These data have not been presented in this document. Acute Toxicity:
	See Section 2.5
_	Chronic Toxicity:
	See Section 2.6
	Suspected Carcinogen:
	The ingredients of this product are not listed as carcinogens by the National Toxicology Program and have not been evaluated by the
	Internail Agency for Research on Cancer or the American Conference of Government Industrial Hygenists.
	Reproductive Toxicity:
	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:
	This product is not reported to produce mutagenic effects in humans.
3	Embryotoxicity:
	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:
	This products is not reported to cause teratogenic effects in humans.
	Irritancy of Product:
_	See Section 2.3
	Biological Exposure Indicies:
7 - 0	NE CONTRACTOR OF THE CONTRACTO
	Physician Recommendations:
	Treat syptomatically
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:
	This product will slowly volatile from soil. Components of this product will slowly decompose into organic compounds.
12.2	Effects on Plants & Animals:
	There is no specific data availble for this product on plant life.
12.3	Effects on Aquatic Life:
	There is no specific data availble for this product on aquatic life.
	13. DISPOSAL CONSIDERATIONS
13 1	Waste Disposal:
	Dispose inaccordance with local, state and Federal waste laws.
	Special Considerations:
	NA
	14 TRANSPORTATION INCORNATION
	14. TRANSPORTATION INFORMATION
	asic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.
	onal descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.
	49 CFR (GRD):
	NOT REGULATED IATA (AIR):
	NOT REGULATED
	IMDG (OCN):
	NOT REGULATED
	TDGR (Canadian GND):
	NOT REGULATED
	ADR/RID (EU):
	NOT REGULATED
	MEXICO (SCT):
	NOT REGULATED
14.7	ADGR (AUS):
	NOT REGULATED

	15.	REGULATORY INFORMATION	6 of 7				
	SARA Reporting: NA						
	SARA Threshold Planning Quantity: NA						
	TSCA Inventory Status:						
	All components of this product are listed in the	TSCA Inventory or are exempt					
	CERCLA Reportable Quantity (RQ): NA						
	Other Federal Requirements: This products complies with the appropriate sec	tions of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).					
	Other Canadian Regulations:						
		hazard criteria of the CPR and the SDS contains all of the information					
		oduct are listed on the DSL/NDSL. None of the components of this product					
	are on the Priorities Substances List. State Regulatory Information:						
		owing state criteria lists: Titanium Dioxide is listed on the following state crite	oria liet(e).				
		Minnesota Hazardous Substances List (MN), Pennsylvania Right-to-Know Li					
	Washington Permissible Exposures List(WA).		(//				
	Benzophenone is listed on the following state cr	itia list(s): MN.					
	No other ingredients in this product, present in	a concentration of 1.0% or greater, are listed on any of the following state crit	ia lists:				
	California Proposition 65 (CA), Florida Toxic S	ubstances list (MN), new Jersey Right-to-Know List (NJ), New York Hazardou	ıs Substances				
	List (NY), Pennsylvania Right-to-Know list (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substa	ances List(WI).				
	67/548/EEC (European Union), Australian NOHSC	:2011 (2003), and GHS Requirements:					
	See Section 2.1						
	<u> </u>						
		16. OTHER INFORMATION					
	Other Information:						
	KEEP OUT OF THE REACH OF CHILDREN. Do not t	ake internally. Keep away from heat and open flame.					
16.2	Terms & Definitions:						
	Please see last page of this SDS.						
	Disclaimer:						
		o OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other governe					
	regulations must be reviewed for applicability to this product. To the best of Fuzion Gel Ltd's knowledge, the information contained herein is						
	reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guaranteed and no warranties of						
	any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s)						
	is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to sonsult the latest edition.						
	and latest database						
16.4	Prepared for:						
	Fuzion Gel Ltd						
	100-18211 105th Ave.	$\vdash \cup / / \cup \setminus$					
	Edmonton, A B						
	1 844 748 9324	FUZION where besites weter technology					
	www.nailfuzion.com						
	ļ						